

WOVEN VINYL

texlyweave®



Woven vinyl with an exclusive creation!

悉心编织空间表面的精彩 & 融合自然的纹理和触感

Wall to Floor

INNOVATION AND HANDCRAFT

Dragonshine is a well-experienced manufacturer of woven vinyl products, which has offered a feel and look like a plant material for over 20 years to the interiors market of the world. Our fabric can be extendedly used as upholstery, and wall/floor products, a smart option for the surface. That natural-like design appeals to you to touch it and is easy to maintain and clean up. An elegant gene makes it possible for luxurious and individual demand.




WOVEN FOR AESTHETICS

When textilyweave® was being developed, the ecological aspect also played an important role next to innovation and practicality. Furthermore, the total textilyweave® product processing uses low temperatures and nearly zero water. All excess material created during production can be recycled. Woven vinyl products were always designed for outdoor applications; solution-dyed, the color is solid throughout all the fibers and yarns created, giving it unsurpassed color life against fading.



SUSTAINABLE

Thanks to its individuality and the raw materials used, a textilyweave® collection will perform well in almost any indoor or outdoor environment, from washrooms to lobbies, bringing the simple look of nature and style without maintenance worries. The incidence of light provides textilyweave® with its character and distinctive appearance and creates magical realism in the space in which it appears.



textilyweave® fabric presents a new engineered surface with vinyl-coated yarn that significantly increases wear resistance and two-tone aesthetics that enhance the tactile experience of the textures. Over-engineered for incredible durability, use textilyweave® to meet the needs of today's modern living. Long-lasting colors, unique feel, and stylish look!

THE PREMIUM
TACTILE
EXPERIENCE OF
THE TEXTURES

DESIGN INSPIRATION

INTRODUCING THE NATURE IN

Dragonshine's experiences furnish an inexhaustible source of inspiration and reference for our designers and colorists to devise unique products meet esthetic. The textyweave®, long recognized for innovative and fine artistry, is the most prominent and prolific in the weaving industry. The woven vinyl, floorings, and wallcoverings always represent a range that satisfies the aspirations and requirements of clients, designers, and building contractors worldwide.



HUE HUNTERING

The textyweave® woven vinyl's jacquard texture and woven palette confirm its role as an essential design element. Explore a modern range of palettes for contemporary cool grey shades reflecting tones throughout nature, from rich and exciting to soft and neutral. Achieve further dimension through a unique texture that blends two-tone yarn through the pattern of the woven vinyl wall to the floor. Discover the harmony of performance, color, and design that goes beyond the surface of woven vinyl.




THE ESTHETIC AND ARTISTIC

Our textyweave® collection looks like natural plant yarn but with a metallic sheen, clarity thread, and jacquard design beyond traditional colorways and beloved weave textures. textyweave® embodies a combination of discretion and class connected to innovation and durability. It is softness underfoot, stain-resistance, and contract grade rating.

When textyweave® was being developed, the ecological aspect also played an important role next to innovation and practicality. Furthermore, the total textyweave® product processing uses low temperatures and nearly zero water. All excess material created during production can be recycled. Woven vinyl products were always designed for outdoor applications; solution-dyed, the color is solid throughout all the fibers and yarns created, giving it unsurpassed color life against fading.



Thanks to its individuality and the raw materials used, a textyweave® collection will perform well in almost any indoor or outdoor environment, from washrooms to lobbies, bringing the simple look of nature and style without maintenance worries. The incidence of light provides textyweave® with its character and distinctive appearance and creates magical realism in the space in which it appears.



textyweave® fabric presents a new engineered surface with vinyl-coated yarn that significantly increases wear resistance and two-tone aesthetics that enhance the tactile experience of the textures. Over-engineered for incredible durability, use textyweave® to meet the needs of today's modern living. Long-lasting colors, unique feel, and stylish look!

THE PREMIUM TACTILE EXPERIENCE OF THE TEXTURES

ENGINEERED AND EASY

Easy to apply, clean, and maintain; strong, durable, soft, and comfortable. A brilliant choice for offices, gyms & hotels, the textilyweave® wall2floor range is also a popular option at home anywhere from ensuites and bathrooms to kitchens and studios where a statement finish is desired.



EN 14041: 2004
EN 14042: 2004
+ AC: 2008

RoHS

Compliant
2002/95/EC



Resilient, textile and laminate floor coverings – Essential characteristics The European Standard EN 14041:2004 specifies the health, safety and energy saving requirements for resilient, textile and laminate floor coverings. These products are intended for use as floor coverings within a building according to the manufacturer's specifications.

RoHS stands for Restriction of Hazardous Substances, and impacts the entire electronics industry and many electrical products as well. The original RoHS, also known as Directive 2002/95/EC, originated in the European Union in 2002 and restricts the use of six hazardous materials found in electrical and electronic products. All applicable products in the EU market since July 1, 2006 must pass RoHS compliance.

Companies or individuals that import, manufacture, use or place on the market substances, mixtures or articles must be compliant with the REACH regulation. That means if you are based in the European Economic Area (EEA) (including Northern Ireland) or Great Britain (GB), all physical goods must be compliant with the regulation unless an exemption applies.

Proposition 65 (Prop 65) is formally known as the Safe Drinking Water and Toxic Enforcement Act of 1986. It's legislation that requires businesses and manufacturers to provide Californians warning labels on products that contain chemicals that are known to cause cancer, birth defects, or other reproductive harm at levels above California's "safe harbor" guidelines.

our woven vinyl from wall to floor with an exclusive textilyweave® creation!



CREATE DYNAMICS

textilyweave®



EXCLUSIVE SURFACE CREATION

WALLCOVERING

Woven vinyl is a brilliant choice for offices, gyms, and hotels; the textyweave® wallcovering range is also a popular option at home anywhere from ensuite and bathrooms to kitchens and studios where a statement finish is desired. Over-engineered for incredible durability, use textyweave woven vinyl floor, meeting the needs of today's modern living.

FLOOR & MODULAR TILE

Promote an atmosphere of welcome calm with textyweave® woven vinyl's detailed, jacquard forms. Discover a unique, dimensional floor covering and modular carpet tile designed to meet modern demands of performance partnered with the simplicity of natural design. Enjoy the benefits of sound absorption, slip resistance, ergonomic comfort, and ease of maintenance on a durable floor. Reveal harmony with nature in your busiest environments.

WALLPANEL

The textyweave® woven vinyl is the ultimate go-anywhere wall panel surface. It's easy to install and maintain, ultra-hygienic, and clean. The beautiful vinyl collection is perfect for schools, commercial, residential, hospitality, childcare facilities, and public buildings.



Surface 面層: 1.0mm Woven vinyl / 乙稀基編織布

TECHNICAL INFORMATION

Structure: Woven vinyl with nonwoven backing. Total weight 700 - 900gsm

Presentation: Width 200cm, available in rolls 15 - 25 m

Light resistance: Good lightfastness

Fire classification: ASTM E84 - 98 Class A+


Maintenance: Extra washable

HANGING RECOMMENDATIONS

Paste the wall using paste specially adapted for nonwoven wallcovering.

The hanging recommendations are given for information only. Detailed instructions are included in each order.

Paste the wall using pressure-sensitive adhesives for woven vinyl wallcovering without nonwoven backing.



Woven vinyl wallcovering, product standard EN15102:2007+A1:2011

Roll dimension	Width: 200cm ±2%	
	Length: 15 - 25m/roll	
Weight	Average = 700-900gsm	
Thickness	1mm	
Fungus test	ASTM G21 - 13	0 Grade
Abrasion (Martindale)	ISO 12947 - 2:1998+ Cor.1:2002	>20000
Skew & bow	EN 427	<1%
Fire rate	ASTM E84 - 98	Class 1 or A
Classification For burning behavior of building materials and products	GB8624 - 2012	B2(D-s2, d0)
Light ageing test - UV exposure	ISO 4892 - 3:2016 Cycle 1	Lamp type: UVA - 340, 1000h: Grade 4-5
Content of pentachlorophenol(PCP)	CEN/TS 14494	Not detected
Formaldehyde emission	EN 717 - 2	E1: 0.122mg/m ³ h
Release of formaldehyde		E1: 3.5mg/kg
Heavy metals and specific elements	EN15102:2007+A1:2011	PASS
Release of vinyl chloride monomer		0.12mg/kg
DEHP, DBP, BBP, DIBP	REACH Annex XVII, Entry 51&52, (EU) 2018/2005	PASS
Reach & RoHS	REACH REGULATION 2011	PASS
	RoHS Directive 2015 863	
AZO	ISO 14362-1:2017	PASS
Materials and articles in contact with foodstuffs	EN 1186: Part3	PASS
Tests for colour fastness	BS EN ISO 105 X12: 2016	Wet 4/5; Dry 4/5
Peoposition 65	US California Proposition 65- Lead/Cadmium/Phthalate	ND

INHERENT SUPERIOR BEAUTY^{texlyweave®} IN




Informed by continuous contact with designers and professionals in the textiles and interior industry, we create, manufacture, and distribute solutions to enhance the new surface comfort of the spaces in which people live and work.

Be inspired.

FLIPHTML5

[f](#) [i](#) [p](#) @texlyweave
texlyweave.com



Due to printing limitations, colors shown cannot be guaranteed to match actual wovervinyl material. © Wovervinyl designs copyrighted by the texlyweave® © DRAGONSHINE 2024. P201914

texlyweave®