




texlyweave®

THE TEXLYWEAVE FLOORING

texlyweave®

THE TEXLYWEAVE FLOORING

THE TEXLYWEAVE® FLOORING 2012 - 2013


Long lasting colours, unique feel and modern look.




Java 1022



Stretch 1024




Alluminio 0913




Willow 0916



Teak 1015




Terrocotta 0915




Calce 0961



Notte 0912




Pantano Brown 1107



Pantano Gold 1106



Alligatore 0975




Conch 0929

Good sound absorption with 4mm thickness; (ENISO 140-8) Durable, long lasting on color and easy to maintain; (EN1307, EN1470, EN423, EN438, class 33 EN685)

Energy-conservation and environmental protection. The total production processing uses low temperatures and nearly zero water. All excess material created during production can be recycled. With textyweave® at home, the heating and air conditioner will work less, textyweave® flooring will keep your home at the desired temperature for a longer time. Woven vinyl products were always designed for outdoor applications. The product is solution dyed, meaning that the color is created in the solution before the fibres are extruded. Thus the color is solid throughout all the fibres and yarns created gives it unsurpassed color life against fading. (EN1307, EN1470)

Strong, durable, soft and comfortable.




Triange 0918



Trigange black 0974




Patina 0922



Rock 0902



Twill 0930



Harvest 0914




Black 0925



Ochre 0926



Fumo 0976



Scarabeo 0977

Woven vinyl textiles are strong, durable and flame resistant. They are easy to clean; (EN423,EN438) have a comfortable feel, and are available in a wide range of colors. This has made their use in flooring a natural development to take advantage of these favourable characteristics. The durability of the product makes it a good choice for high traffic hotel, apartment, commercial and, of course residential applications. (Tested for Class 33 EN685) The material is also versatile and can be used without back, where appropriate or backed for strength and anti-slip characteristics, or treated for special applications. The backings can be used to create fabrics that are more durable, flame resistant, (EN14041) and with different breathability.




Bronze 0923



Sesame 0924


NOTE: Slight color variations between dye lots may occur. If exact color is required, please ask for a cutting from current stock.

Easy to apply, clean and maintain.



Granito quarzo

0972



Granito night

0971



Granito brown

0973



Pewter

1031



Pebble

1032




Curry

1011




Barcode Green

1110




Trucco Green

1120



Barcode Brick


1111



Trucco Yellow

1122

IMPORTANT: Textyweave® patterns are designed to simulate a hand worked natural material. Subtle variations in colour, and shading should be anticipated, as these variations are part of the manufacturing process, and add to the richness and beauty of the product.



Technical informations:

construction: woven vinyl flooring, product standard EN 15114

Classification		EN 685	33 heavy commercial applications
Color fastness to light		EN ISO EN105-B02	>6
Fire classification		EN ISO 13501	Cfl-s1
Body voltage		ISO 6356	<2kv
Castor chair suitability		EN 985	continuous use
Slip resistance		EN 14041 Technical class DS	>0.3

Dimensional stability		ISO 2551	<0.33
Impact noise reduction		EN ISO 140-8	$\Delta L_w=22$
Resistance to stains		EN 423	Rating 0 No effect (highest grade)
Thickness		EN 426	4.0mm $\pm$ 0.01
Roll length		EN 426	15-25m
Roll width		EN 426	2m $\pm$ 0.01
Roll weight		EN 430	2.5kg/m2 +/-

NOTE: This information is offered for your general guidance only. It's accurate to the best of our knowledge and is not intended to relieve the user from its responsibility to investigate and understand other pertinent sources of information and to comply with all laws and procedures applicable to the safe handling and use of this material. Final determination of the suitability of any product for an application rests with the user.

Textyweave patterns are designed to simulate a hand worked natural material. Subtle variations in colour, and shading should be anticipated, as these variations are part of the manufacturing process, and add to the richness and beauty of the product.

If exact colour is required, please ask for a cutting from the same stock to avoid too much difference.

IMPORTANT: Textyweave patterns are designed to simulate a hand worked natural material. Subtle variations in colour, and shading should be anticipated, as these variations are part of the manufacturing process, and add to the richness and beauty of the product.

Project and technical support

Regarding to installation and care, contact with local agents or directly to us on www.textyweave.com



